

MINIMAL IMMUNIZATION REQUIREMENTS FOR SCHOOL ATTENDANCE IN NEW JERSEY
N.J.A.C. 8:57-4: Immunization of Pupils in School

DISEASE(S)	MEETS IMMUNIZATION REQUIREMENTS	COMMENTS
DTaP	(AGE 1-6 YEARS): 4 doses, with one dose given on or after the 4th birthday, OR any 5 doses. (AGE 7-9 YEARS): 3 doses of Td or any previously administered combination of DTP, DTaP, and DT to equal 3 doses.	Any child entering pre-school, pre-Kindergarten, or Kindergarten needs a minimum of four doses. Pupils after the seventh birthday should receive adult type Td. DTP/Hib vaccine and DTaP also valid DTP doses. Laboratory evidence of immunity is also acceptable.
Tdap	GRADE 6 (or comparable age level for special education programs): 1 dose	For pupils entering Grade 6 on or after 9-1-08 and born on or after 1-1-97. A child does not need a Tdap dose until FIVE years after the last DTP/DTaP or Td dose.
POLIO	(AGE 1-6 YEARS): 3 doses, with one dose given on or after the 4th birthday, OR any 4 doses. (AGE 7 or OLDER): Any 3 doses.	Either Inactivated Polio Vaccine (IPV) or Oral Polio Vaccine (OPV) separately or in combination is acceptable. Polio vaccine is not required of pupils 18 years of age or older. Laboratory evidence of immunity is also acceptable.
MEASLES	If born before 1-1-90, 1 dose of a live Measles-containing vaccine on or after the first birthday. If born on or after 1-1-90, 2 doses of a live Measles-containing vaccine on or after the first birthday. If entering a college or university after 9-1-95 and previously unvaccinated, 2 doses of a live Measles-containing vaccine on or after the first birthday.	Any child over 15 months of age entering child care, pre-school, or pre-Kindergarten needs a minimum of 1 dose of measles vaccine. Any child entering Kindergarten needs 2 doses. Previously unvaccinated students entering college after 9-1-95 need 2 doses of measles-containing vaccine or any combination containing live measles virus administered after 1968. Documentation of 2 prior doses is acceptable. Laboratory evidence of immunity is also acceptable. Intervals between first and second measles/MMR/MR doses cannot be less than 1 month.
RUBELLA and MUMPS	1 dose of live Mumps-containing vaccine on or after the first birthday. 1 dose of live Rubella-containing vaccine on or after the first birthday.	Any child over 15 months of age entering child care, pre-school, or pre-Kindergarten needs 1 dose of rubella and mumps vaccine. Each student entering college for the first time after 9-1-95 needs 1 dose of rubella and mumps vaccine or any combination containing live rubella and mumps virus administered after 1968. Laboratory evidence of immunity is also acceptable.
VARICELLA	1 dose on or after the first birthday.	All children 19 months of age and older enrolled into a child care/pre-school center after 9-1-04 or children born on or after 1-1-98 entering a school for the first time in Kindergarten or Grade 1 need 1 dose of varicella vaccine. Laboratory evidence of immunity, physician's statement or a parental statement of previous varicella disease is also acceptable.
HAEMOPHILUS INFLUENZAE B (Hib)	(AGE 2-11 MONTHS) ⁽¹⁾ : 2 doses (AGE 12-59 MONTHS) ⁽²⁾ : 1 dose	Mandated only for children enrolled in child care, pre-school, or pre-Kindergarten. (1) Minimum of 2 doses of Hib vaccine is needed if between the ages of 2-11 months. (2) Minimum of 1 dose of Hib vaccine is needed after the first birthday. DTP/Hib and Hib/Hep B also valid Hib doses.
HEPATITIS B	(K-GRADE 12): 3 doses or 2 doses ⁽¹⁾	(1) If a child is between 11-15 years of age and has not received 3 prior doses of Hepatitis B then the child is eligible to receive 2-dose Hepatitis B Adolescent formulation. Laboratory evidence of immunity is also acceptable.
PNEUMO-COCCAL	(AGE 2-11 MONTHS) ⁽¹⁾ : 2 doses (AGE 12-59 MONTHS) ⁽²⁾ : 1 dose	Mandated only for children enrolled in child care, pre-school, or pre-Kindergarten. (1) Minimum of 2 doses of Pneumococcal vaccine is needed if between the ages of 2-11 months. (2) Minimum of 1 dose of Pneumococcal vaccine is needed after the first birthday.
MENINGO-COCCAL	(Entering GRADE 6 (or comparable age level for Special Ed programs): 1 dose ⁽¹⁾ (Entering a four-year college or University, previously unvaccinated and residing in a campus dormitory): 1 dose ⁽²⁾	(1) For pupils entering Grade 6 on or after 9-1-08 and born on or after 1-1-97. (2) Previously unvaccinated students entering a four-year college or university after 9-1-04 and who reside in a campus dormitory, need 1 dose of meningococcal vaccine. Documentation of one prior dose is acceptable.
INFLUENZA	(AGES 6-59 MONTHS): 1 dose ANNUALLY	For children enrolled in child care, pre-school or pre-Kindergarten on or after 9-1-08. 1 dose to be given between September 1 and December 31 of each year.

AGE APPROPRIATE VACCINATIONS (FOR LICENSED CHILD CARE CENTERS/PRE-SCHOOLS)

CHILD'S AGE

2-3 Months
4-5 Months
6-7 Months
8-11 Months
12-14 Months
15-17 Months
18 Months-4 Years

NUMBER OF DOSES CHILD SHOULD HAVE (BY AGE):

1 dose DTaP, 1 dose Polio, 1 dose Hib, 1 dose PCV7
2 doses DTaP, 2 doses Polio, 2 doses Hib, 2 doses PCV7
3 doses DTaP, 2 doses Polio, 2-3 doses Hib, 2-3 doses PCV7, 1 dose Influenza
3 doses DTaP, 2 doses Polio, 2-3 doses Hib, 2-3 doses PCV7, 1 dose Influenza
3 doses DTaP, 2 doses Polio, 1 dose Hib, 2-3 doses PCV7, 1 dose Influenza
3 doses DTaP, 2 doses Polio, 1 dose MMR, 1 dose Hib, 1 dose PCV7, 1 dose Influenza
4 doses DTaP, 3 doses Polio, 1 dose MMR, 1 dose Hib, 1 dose Varicella, 1 dose PCV7, 1 dose Influenza

PROVISIONAL ADMISSION:

Provisional admission allows a child to enter/attend school but must have a minimum of one dose of each of the required vaccines. Pupils must be actively in the process of completing the series. If a pupil is <5 years of age, they have 17 months to complete the immunization requirements. If a pupil is 5 years of age and older, they have 12 months to complete the immunization requirements.

GRACE PERIODS:

- 4-day grace period: All vaccines doses administered less than or equal to four days before either the specified minimum age or dose spacing interval shall be counted as valid and shall not require revaccination in order to enter or remain in a school, pre-school or child care facility.
- 30-day grace period: Those children transferring into a New Jersey school, pre-school, or child care center from out of state/out of country may be allowed a 30-day grace period in order to obtain past immunization documentation before provisional status shall begin.

**COUNTRIES WITH AN INCIDENCE OF TB INSUFFICIENT TO REQUIRE MANTOUX
TUBERCULIN SKIN TESTING AS A REQUIREMENT FOR SCHOOL ENTRY IN NEW JERSEY**

Antigua and Barbuda
Australia
Austria
Barbados
Belgium
Bermuda
Canada
Cayman Islands
Cuba
Cyprus
Czech Republic
Denmark
Finland
France
Germany
Greenland
Grenada
Iceland
Ireland
Israel
Italy

Jamaica
Jordan
Lebanon
Luxembourg
Malta
Monaco
Montserrat
Netherlands
Netherlands Antilles
New Zealand
Norway
Oman
Puerto Rico
Saint Kitts and Nevis
San Marino
Sweden
Switzerland
Trinidad and Tobago
United Kingdom of Great Britain and Northern Ireland
United States of America
United States Virgin Islands

Students entering a U.S. school for the first time in New Jersey or transferring into a New Jersey school from ANY country NOT listed above must be Mantoux tuberculin skin tested unless they meet an exemption criterion listed on page 1, Section II. 1 or Section II. 2.